


## Appendix G - Section C Flood Maps for Jane Street Alternative 1 200 m Span Bridge







Notes Coordinate System: NAD 1983 UTM Zone 17N
 Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic format. The recipient accepts full responsibility for verifying the accuracy and completeness of the data. The recipient releases DHI, its officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

Max WSL [m]

< 97.5 97.5 - 100.0 100 - 102.5

105 - 107.5


110 - 112.5 112.5 - 115.0 115 - 117.5 102.5 - 105.0 117.5 - 120.0 Prepared by Yi Wang on 2019-10-09 Client/Project

**ALTERNATIVE 1** 

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No.


REGIONAL UNSTEADY STORM MAXIMUM WATER SURFACE LEVEL











1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project


Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. **C-2** 

REGIONAL UNSTEADY STORM MAXIMUM FLOOD DEPTH ALTERNATIVE 1

Notes

1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.







1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

< 0.2 1.2 - 1.4 0.2 - 0.4 1.4 - 1.6 0.4 - 0.61.6 - 1.8 0.6 - 0.8 > 1.8 0.8 - 1.0


Prepared by Yi Wang on 2019-10-09 Client/Project

**ALTERNATIVE 1** 

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-3

REGIONAL UNSTEADY STORM MAXIMUM VELOCITY







< 0.2 1.2 - 1.4 0.2 - 0.41.4 - 1.6 0.4 - 0.6 1.6 - 1.8 0.6 - 0.8> 1.8 0.8 - 1.0

Prepared by Yi Wang on 2019-10-09 Client/Project


Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. **C-4** 

REGIONAL UNSTEADY STORM MAXIMUM VELOCITY AND DEPTH PRODUCT **ALTERNATIVE 1** 

Notes

1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.







 Coordinate System: NAD 1983 UTM Zone 17N
 Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic format. The recipient accepts full responsibility for verifying the accuracy and completeness of the data. The recipient releases DHI, its officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

100 - 102.5 115 - 117.5 102.5 - 105.0 117.5 - 120.0 105 - 107.5

< 97.5

97.5 - 100.0

107.5 - 110.0

110 - 112.5

112.5 - 115.0

Figure No. **C-5** 

DESIGN 350-YEAR STORM MAXIMUM WATER SURFACE LEVEL **ALTERNATIVE 1** 

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Prepared by Yi Wang on 2019-10-09 Client/Project









0.1 - 0.2 0.2 - 0.5 0.5 - 1.0

< 0.1

1.0 - 1.5 1.5 - 2.02.0 - 2.5 2.5 - 3.0 > 3.0

1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project


Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. **C-6** 

DESIGN 350-YEAR STORM MAXIMUM FLOOD DEPTH ALTERNATIVE 1

Notes

1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.







Notes 1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

< 0.2

0.2 - 0.4 1.4 - 1.6 0.4 - 0.61.6 - 1.8 0.6 - 0.8 > 1.8

0.8 - 1.0


1.2 - 1.4

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. **C-7** 

DESIGN 350-YEAR STORM MAXIMUM VELOCITY **ALTERNATIVE 1** 







Notes 1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data. Max Vel \* Depth 1.0 - 1.2 < 0.2 1.2 - 1.4 0.2 - 0.41.4 - 1.6 0.4 - 0.61.6 - 1.8

0.6 - 0.8


0.8 - 1.0

> 1.8

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No.

DESIGN 350-YEAR STORM MAXIMUM VELOCITY AND DEPTH PRODUCT **ALTERNATIVE 1** 







Notes Coordinate System: NAD 1983 UTM Zone 17N
 Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic format. The recipient accepts full responsibility for verifying the accuracy and completeness of the data. The recipient releases DHI, its officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

< 97.5 97.5 - 100.0 100 - 102.5

105 - 107.5


110 - 112.5 112.5 - 115.0 115 - 117.5 102.5 - 105.0 117.5 - 120.0 1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-9

DESIGN 100-YEAR STORM MAXIMUM WATER SURFACE LEVEL **ALTERNATIVE 1** 









1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

Max Depth [m] 1.0 - 1.5 < 0.1 1.5 - 2.00.1 - 0.2 2.0 - 2.5 0.2 - 0.5 2.5 - 3.0

> 3.0

0.5 - 1.0


1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-10

DESIGN 100-YEAR STORM MAXIMUM FLOOD DEPTH ALTERNATIVE 1







Notes 1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data. Max Vel [m/s] < 0.2 1.2 - 1.4 0.2 - 0.4 1.4 - 1.6 0.4 - 0.61.6 - 1.8

0.6 - 0.8

0.8 - 1.0


> 1.8

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-11

DESIGN 100-YEAR STORM MAXIMUM VELOCITY **ALTERNATIVE 1** 







1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

Max Vel \* Depth 1.0 - 1.2 < 0.2 1.2 - 1.4 0.2 - 0.41.4 - 1.6 0.4 - 0.61.6 - 1.8 0.6 - 0.8 > 1.8

0.8 - 1.0

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-12

DESIGN 100-YEAR STORM MAXIMUM VELOCITY AND DEPTH PRODUCT **ALTERNATIVE 1** 







Notes Coordinate System: NAD 1983 UTM Zone 17N
 Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS,

Disdaimer DHI assumes no responsibility for data supplied in electronic format. The recipient accepts full responsibility for verifying the accuracy and completeness of the data. The recipient releases DHI, its officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

Max WSL [m] < 97.5

97.5 - 100.0

102.5 - 105.0

105 - 107.5

110 - 112.5 112.5 - 115.0 100 - 102.5 115 - 117.5


117.5 - 120.0

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No.

DESIGN 50-YEAR STORM MAXIMUM WATER SURFACE LEVEL **ALTERNATIVE 1** 









Max Depth [m] 1.0 - 1.5 < 0.1 1.5 - 2.00.1 - 0.2 2.0 - 2.5 0.2 - 0.5 2.5 - 3.0 0.5 - 1.0 > 3.0

1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-14

DESIGN 50-YEAR STORM MAXIMUM FLOOD DEPTH ALTERNATIVE 1

Notes

1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.







1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

0.2 - 0.4 0.4 - 0.60.6 - 0.8 0.8 - 1.0

< 0.2

1.2 - 1.4

1.4 - 1.6

1.6 - 1.8


> 1.8

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No.

DESIGN 50-YEAR STORM MAXIMUM VELOCITY **ALTERNATIVE 1** 







1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

Max Vel \* Depth 1.0 - 1.2 < 0.2 1.2 - 1.4 0.2 - 0.41.4 - 1.6 0.4 - 0.6 1.6 - 1.8 0.6 - 0.8 > 1.8

0.8 - 1.0


1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-16

DESIGN 50-YEAR STORM MAXIMUM VELOCITY AND DEPTH PRODUCT **ALTERNATIVE 1** 







Notes Coordinate System: NAD 1983 UTM Zone 17N
 Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic format. The recipient accepts full responsibility for verifying the accuracy and completeness of the data. The recipient releases DHI, its officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

97.5 - 100.0 100 - 102.5 102.5 - 105.0

105 - 107.5

< 97.5

112.5 - 115.0 115 - 117.5 117.5 - 120.0

110 - 112.5


1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-17

DESIGN 25-YEAR STORM MAXIMUM WATER SURFACE LEVEL **ALTERNATIVE 1** 







Max Depth [m] 1.0 - 1.5 < 0.1 1.5 - 2.00.1 - 0.2 2.0 - 2.5 0.2 - 0.5 2.5 - 3.0 0.5 - 1.0 > 3.0

1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project


Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-18

DESIGN 25-YEAR STORM MAXIMUM FLOOD DEPTH ALTERNATIVE 1

Notes

1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.







1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

Max Vel [m/s] 1.0 - 1.2 < 0.2 1.2 - 1.4 0.2 - 0.4 1.4 - 1.6 0.4 - 0.61.6 - 1.8

> 1.8

0.6 - 0.8


0.8 - 1.0

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-19

DESIGN 25-YEAR STORM MAXIMUM VELOCITY **ALTERNATIVE 1** 







Notes 1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data. Max Vel \* Depth 1.0 - 1.2 < 0.2 1.2 - 1.4 0.2 - 0.41.4 - 1.6 0.4 - 0.6 1.6 - 1.8

> 1.8

0.6 - 0.8

0.8 - 1.0

Prepared by Yi Wang on 2019-10-09 Client/Project Figure No. C-20

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

DESIGN 25-YEAR STORM MAXIMUM VELOCITY AND DEPTH PRODUCT **ALTERNATIVE 1** 







Notes Coordinate System: NAD 1983 UTM Zone 17N
 Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic format. The recipient accepts full responsibility for verifying the accuracy and completeness of the data. The recipient releases DHI, its officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

97.5 - 100.0 100 - 102.5 102.5 - 105.0

105 - 107.5

< 97.5

110 - 112.5 112.5 - 115.0 115 - 117.5

117.5 - 120.0


1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-21

DESIGN 10-YEAR STORM MAXIMUM WATER SURFACE LEVEL **ALTERNATIVE 1** 









1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

0.1 - 0.2 2.0 - 2.5 0.2 - 0.5 2.5 - 3.0 0.5 - 1.0 > 3.0

< 0.1

1.0 - 1.5

1.5 - 2.0

1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-22

DESIGN 10-YEAR STORM MAXIMUM FLOOD DEPTH ALTERNATIVE 1







1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

< 0.2 1.2 - 1.4 0.2 - 0.4 1.4 - 1.6 0.4 - 0.61.6 - 1.8 0.6 - 0.8 > 1.8 0.8 - 1.0


1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-23

DESIGN 10-YEAR STORM MAXIMUM VELOCITY **ALTERNATIVE 1** 







1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

Max Vel \* Depth 1.0 - 1.2 < 0.2 1.2 - 1.4 0.2 - 0.41.4 - 1.6 0.4 - 0.6 1.6 - 1.8 0.6 - 0.8 > 1.8

0.8 - 1.0


1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-24

DESIGN 10-YEAR STORM MAXIMUM VELOCITY AND DEPTH PRODUCT **ALTERNATIVE 1** 







 Coordinate System: NAD 1983 UTM Zone 17N
 Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic format. The recipient accepts full responsibility for verifying the accuracy and completeness of the data. The recipient releases DHI, its officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

97.5 - 100.0 112.5 - 115.0 100 - 102.5 115 - 117.5 102.5 - 105.0 117.5 - 120.0

110 - 112.5

< 97.5

105 - 107.5


1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-25

DESIGN 5-YEAR STORM MAXIMUM WATER SURFACE LEVEL **ALTERNATIVE 1** 









1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

0.1 - 0.2 2.0 - 2.5 0.2 - 0.5 2.5 - 3.0 0.5 - 1.0 > 3.0

< 0.1

1.0 - 1.5

1.5 - 2.0


1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-26

DESIGN 5-YEAR STORM MAXIMUM FLOOD DEPTH ALTERNATIVE 1







Notes 1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data. Max Vel [m/s] 1.0 - 1.2 < 0.2 1.2 - 1.4 0.2 - 0.4 1.4 - 1.6 0.4 - 0.61.6 - 1.8

> 1.8

0.6 - 0.8

0.8 - 1.0


1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-27

DESIGN 5-YEAR STORM MAXIMUM VELOCITY **ALTERNATIVE 1** 







1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

Max Vel \* Depth 1.0 - 1.2 < 0.2 1.2 - 1.4 0.2 - 0.41.4 - 1.6 0.4 - 0.6 1.6 - 1.8 0.6 - 0.8 > 1.8

0.8 - 1.0


1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-28

DESIGN 5-YEAR STORM MAXIMUM VELOCITY AND DEPTH PRODUCT **ALTERNATIVE 1** 







Notes Coordinate System: NAD 1983 UTM Zone 17N
 Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic format. The recipient accepts full responsibility for verifying the accuracy and completeness of the data. The recipient releases DHI, its officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

< 97.5 110 - 112.5 97.5 - 100.0 112.5 - 115.0 100 - 102.5 115 - 117.5 102.5 - 105.0 117.5 - 120.0

105 - 107.5


1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-29

DESIGN 2-YEAR STORM MAXIMUM WATER SURFACE LEVEL **ALTERNATIVE 1** 









1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

0.1 - 0.2 2.0 - 2.5 0.2 - 0.5 2.5 - 3.0 0.5 - 1.0 > 3.0

1.0 - 1.5

1.5 - 2.0

Max Depth [m]

< 0.1


1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No.

DESIGN 2-YEAR STORM MAXIMUM FLOOD DEPTH ALTERNATIVE 1







Notes 1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data. Max Vel [m/s] 1.0 - 1.2 < 0.2 1.2 - 1.4 0.2 - 0.4 1.4 - 1.6 0.4 - 0.61.6 - 1.8

> 1.8

0.6 - 0.8

0.8 - 1.0


1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-31

DESIGN 2-YEAR STORM MAXIMUM VELOCITY **ALTERNATIVE 1** 







1. Coordinate System: NAD 1983 UTM Zone 17N
2. Service Layer Credits: Source: Esri, Digital Globe, GeoEye, Earthstar Geographics, CNES/Airbus DS, Disdaimer DHI assumes no responsibility for data supplied in electronic termat. The recipient accepts full responsibility by revirfing the a courtary and completeness of the data. The recipient releases DHI, is officers, employees, consultants and agents, from any and all claims arising in any way from the content or provision of the data.

Max Vel \* Depth 1.0 - 1.2 < 0.2 1.2 - 1.4 0.2 - 0.41.4 - 1.6 0.4 - 0.6 1.6 - 1.8 0.6 - 0.8 > 1.8

0.8 - 1.0

1;12000 (At Original document size of 11x17)

Prepared by Yi Wang on 2019-10-09 Client/Project

Rockcliffe SPA 2D Model and Floodplain Mapping Update Toronto Region Conservation Authority

Figure No. C-32

DESIGN 2-YEAR STORM MAXIMUM VELOCITY AND DEPTH PRODUCT **ALTERNATIVE 1**